

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11	(713/189.ccls. 713/200.ccls.) and @ad<"20000306" and @pd>"20051001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 10:24
L2	6493	kitahara.in. and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 10:25
L3	67	kitahara.in. near2 jun.in. and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 10:25
S1	605	713/189.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/10 14:19
S2	299	bus and encrypt\$3 and remote near stor\$3 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/10 14:21
S3	299	S2 and process\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/08 12:44
S4	228	bus adj controller and encrypt\$3 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/08 12:48
S5	136	S4 and remote	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/08 13:01

## EAST Search History

S6	15	bus same encrypt\$3 and remote near stor\$4 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/08 13:02
S7	2572	713/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/08 13:12
S8	487	(transmit or transfer) same encrypt\$3 and bus same encrypt\$3 and stor\$4 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/08 13:22
S9	154	S8 and remote same stor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/08 13:36
S10	605	713/189.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/08 13:45
S11	93	S10 and bus and remote and encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/08 13:51
S12	36	S10 and bus and remote and encrypt\$3 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/08 13:54
S13	115	encrypt\$3 same bus and bus same remote and remote same stor\$4 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/08 13:56

## EAST Search History

S16	3041	bus and encrypt\$3 and remote and stor\$3 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/10 14:24
S17	261	bus same encrypt\$3 and remote same stor\$3 and bus and encrypt\$3 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/10 14:25
S18	2	"5805712".pn. and algorithm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/10 16:46
S19	4	encrypt\$3 and non-encrypt\$3 and bus near controller and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/10 17:24
S20	1	"20010042043".pn. and controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 18:25
S21	1	S18 and network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 18:25
S22	1	"05053921".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:30
S23	0	"64041947".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:30

## EAST Search History

S24	2	"6441947".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:30
S25	0	"64041947".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:31
S26	2	"10275115".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:31
S27	2	"10275115".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/23 10:02
S28	176	delet\$3 near key\$2 same (disassemb\$4 or remov\$4) and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 16:05
S29	157	delet\$3 near key\$2 same (disassemb\$4 or remov\$4) and (case or housing) and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 16:14
S30	3	delet\$3 near key\$2 same (disassemb\$4 or remov\$4) same housing and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 16:15
S31	10	delet\$3 near key\$2 same (disassemb\$4 or remov\$4) same case and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 16:17

## EAST Search History

S32	0	delet\$3 near key\$2 same security adj breach and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 16:17
S33	1	delet\$3 near key\$2 same abnormality and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 16:18
S34	12	delet\$3 near key\$2 same (alarm\$2 or alert\$2) and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 16:21
S35	18	eras\$3 near key\$2 same (alarm\$2 or alert\$2) and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 16:21
S36	18	eras\$3 near key\$2 same (alarm\$2 or alert\$2) and @ad<"20000306" not S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 16:21
S37	0	random adj number near constant adj voltage and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:03
S38	6	random adj number same constant adj voltage and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:06
S39	0	random adj number same constant adj voltage adj diode and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:03

## EAST Search History

S40	8832	constant adj voltage same diode and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:06
S41	1707	constant adj voltage near diode and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:06
S42	1581	constant adj voltage adj diode and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:10
S43	26	zener same random adj number\$2 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:15
S44	2	"5535168".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:15
S45	0	S44 and key same volatile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:16
S46	1	S44 and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:16
S47	14	controller same bus same encrypt\$3 same (plain or non-encrypt\$3 or unencrypt\$3) and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 08:25

## EAST Search History

S48	4	controller same bus same encrypt\$3 same output\$2 same (plain or non-encrypt\$3 or unencrypt\$3) and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:50
S49	2	"5805712".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:50
S50	0	S49 and (plain or unencrypt\$2 or non-encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:50
S51	14	controller same bus same encrypt\$3 same (plain or non-encrypt\$3 or unencrypt\$3) and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 08:25
S52	33	output\$2 same bus same encrypt\$3 same (plain or non-encrypt\$3 or unencrypt\$3) and @ad<"20000306" not S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 08:25
S53	668	713/189.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 10:47
S54	2912	713/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 10:47
S55	698	S53 or S54 and @ad<"20000306" and @pd>"20041118"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 10:47

## EAST Search History

S56	2	"6779115".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 13:46
S57	2	"5592549".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 13:50
S58	2	"5535168".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 13:50
S59	2	"5805712".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 13:58
S60	1790	(each or every) near time with key and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 13:58
S61	50	(each or every) near time with key same encrypt\$3 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 13:59
S62	0	(each or every) near time with key same encrypt\$3 same bus\$4 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 13:59
S63	18	(each or every) near time with generat\$4 with key same encrypt\$3 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 14:08



## EAST Search History

S64	1	"5512977".pn. and new\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 14:24
S65	91	encrypt\$3 near2 location near2 (file\$2 or information or data) and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 14:32
S66	41	encrypt\$3 near location near2 (file\$2 or information or data) and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/11 11:39
S67	1	"6023506".pn. and decrypt\$3 with location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 14:42
S68	0	"5455862".pn. and decrypt\$3 with location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 14:49
S69	1	"5455862".pn. and decrypt\$3 with address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 14:49
S70	50	encrypt\$3 near2 location near2 (file\$2 or information or data) and @ad<"20000306" not S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 15:20
S71	0	"5327563".pn. and decrypt\$3 with location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 15:17

## EAST Search History

S72	196	encrypt\$3 near2 location and @ad<"20000306" not S66 not S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 15:20
S73	67	encrypt\$3 near2 location and decrypt\$3 with location and @ad<"20000306" not S66 not S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 15:21
S74	24	encrypt\$3 near2 location with stor\$3 and decrypt\$3 with location and @ad<"20000306" not S66 not S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 15:56
S75	79	encrypt\$3 near2 address\$2 with stor\$3 and decrypt\$3 and @ad<"20000306" not S66 not S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 15:56
S76	52	encrypt\$3 near2 address\$2 with stor\$3 and decrypt\$3 with address\$2 and @ad<"20000306" not S66 not S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 15:57
S77	28	encrypt\$3 near2 address\$2 with stor\$3 and decrypt\$3 with address\$2 with stor\$3 and @ad<"20000306" not S66 not S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 15:57
S78	2	"6473861".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/11 09:24
S79	0	"5512977".pn. and (single or chip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/11 09:35

## EAST Search History

S80	1	"5512977".pn. and read\$2 near2 out	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/11 09:35
S81	1	"6473861".pn. and power\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 16:00
S82	1	"6473861".pn. and battery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 16:14
S83	15	(713/189.ccls. 713/200.ccls.) and @ad<"20000306" and @pd>"20050323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:41
S84	116	encrypt\$3 near first adj key with encrypt\$3 near second adj key and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 10:58
S85	81	encrypt\$3 near first adj key with encrypt\$3 near second adj key and generat\$3 with key and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 10:59
S86	99	encrypt\$3 near3 first adj key with encrypt\$3 near3 second adj key and generat\$3 near3 key and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 11:00
S87	2	encrypt\$3 near3 first adj key with encrypt\$3 near3 second adj key and generat\$3 near3 second adj key with (each or every or newly) and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 11:01

## EAST Search History

S88	12	encrypt\$3 near3 first adj key with encrypt\$3 near3 second adj key and generat\$3 near3 second adj key and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 11:26
S89	25	(encrypt\$3 or generat\$3) near3 new\$2 near key with (each or every) and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 11:44
S90	0	generat\$3 near3 first adj key near3 second adj key and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 11:44
S91	52	encrypt\$3 adj (generat\$3 or new) adj key\$2 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 12:02
S92	2	"4074066".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 12:02
S93	834	encrypt\$3 adj key with stor\$3 near2 key and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/31 09:57
S94	360	encrypt\$3 adj key with stor\$3 near2 encrypt\$3 adj key and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/31 09:58
S95	196	encrypt\$3 adj key with stor\$3 near2 encrypt\$3 adj key and generat\$3 near3 key\$2 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/31 09:58

## EAST Search History

S96	149	S95 and ("713"/\$.ccls. or "380"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/31 11:47
S97	0	"6728379".pn. and bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/31 10:35
S98	0	"6728379".pn. and single near3 chip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/31 10:35
S99	1	"6728379".pn. and chip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/31 10:36
S10 0	1	"5999629".pn. and bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/31 11:50
S10 1	1	"5999629".pn. and different with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/31 11:50
S10 2	830	first adj RAM with second adj RAM and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 14:03
S10 3	0	first adj RAM with second adj RAM same working adj area and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 14:04

## EAST Search History

S10 4	3	first adj RAM with second adj RAM same work\$3 near2 area and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 14:05
S10 5	0	first adj RAM with second adj RAM same work\$3 near2 area and battery and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 14:05
S10 6	0	first adj RAM with second adj RAM same work\$3 near2 area and batter\$3 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 14:05
S10 7	10	first adj RAM with second adj RAM same batter\$3 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:06
S10 8	1	"5990873".pn. and area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 14:08
S10 9	1	"5990873".pn. and area same ram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 14:08
S11 0	7	void\$3 near3 signal same initializ\$4 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:09
S11 1	8	nullif\$4 near3 signal same initializ\$4 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:28

## EAST Search History

S11 2	10	decrypt\$3 near2 program same sensitive and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:28
S11 3	14	decrypt\$3 near2 program same execut\$3 near2 program with generat\$3 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:47
S11 4	0	(void\$3 or nullif\$3) near3 signal same leak\$3 near2 current and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:48
S11 5	11	(void\$3 or nullif\$3) near3 signal same leak\$3 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:48
S11 6	6	(713/189.ccls. 713/200.ccls.) and @ad<"20000306" and @pd>"20050711"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 10:21